OBERLIN RESERVE SUBDIVISION No. 3

SITUATED IN THE CITY OF OBERLIN, COUNTY OF LORAIN, AND KNOWN AS BEING PART OF ORIGINAL PITTSFIELD TOWNSHIP LOTS 6 & 7

JANUARY 3, 2002

BEING PART OF PITTSFIELD TOWNSHIP LOT No.'S 6 AND 7, CITY OF OBERLIN, COUNTY OF LORAIN, STATE OF OHIO AND CONTAINING 12.9501 ACRES OF LAND OF WHICH 1.5239 ACRES ARE IN STREETS, AND 11.4263 ACRES ARE WITHIN THE SUBDIVISION OF LOTS 47 TO 70, INCLUSIVE, AND BEING THE SAME TRACT AS CONVEYED TO NORRIS BUILDERS, INC. DESCRIBED IN DOCUMENT NO. 470176

DIMENSIONS SHOWN ON THIS PLAT ARE EXPRESSED IN FEET AND DECIMAL PARTS THEREOF. ALL BEARINGS ARE TO AN ASSUMED MERIDIAN AND ARE USED TO INDICATE ANGLES ONLY. PERMANENT MONUMENTS WERE FOUND OR SET AT ALL POINTS INDICATED HEREON. ALL OF WHICH I CERTIFY TO BE CORRECT.


J.A.R. ENGINEERING & SURVEYING, INC. 24629 DETROIT ROAD WESTLAKE, OH. 44145

<u>LEGEND</u>

● IRON PIN SET

O IRON PIN FOUND

◆ MONUMENT BOX SET◇ MONUMENT BOX FOUND



OWNERS CERTIFICATE FOR ACCEPTANCE & DEDICATION

WE, THE UNDERSIGNED OWNERS, NORRIS BUILDERS, INC.
HEREBY CERTIFY THAT THE ATTACHED PLAT CORRECTLY REPRESENTS
OBERLIN RESERVE SUBDIVISION No. 3, A SUBDIVISION OF LOTS 47
TO 70 INCLUSIVE, AND DO HEREBY ACCEPT
THIS PLAT OF SAME AND DEDICATE TO PUBLIC USE ALL STREETS SHOWN
HEREON AND DESIGNATED AS RESERVE AVENUE 60FT.
WE GRANT ALL EASEMENTS FOR SEWERS AND DRAINAGE SHOWN
HEREON TO PUBLIC USE. THE UNDERSIGNED FURTHER AGREES THAT ANY
USE OF IMPROVEMENTS MADE ON THIS LAND SHALL BE IN CONFORMITY
WITH ALL EXISTING ZONING, PLATTING, HEALTH OR OTHER LAWFUL RULES
AND REGULATIONS OF THE CITY OF OBERLIN, OHIO, FOR THE BENEFIT OF
THEMSELVES AND ALL OTHER SUBSEQUENT OWNERS OR ASSIGNS TAKING
TITLE FROM. UNDER OR THROUGH THE UNDERSIGNED.


NORRIS BUILDERS, INC. BY: DARRYL NORRIS


NOTARIAL SEAL STATE OF OHIO COUNTY OF LORAIN S.S.

THE FOREGOING INSTRUMENT, WAS ACKNOWLEDGED BEFORE ME THIS 2002.

6-6-2006

NOTARY PUBLIC Quely Mederically
MY COMM. EXPIRES June 6, 2006





VICINITY MAP

UNDERGROUND EASEMENT

NORRIS BUILDERS, INC. THE OWNER OF THE WITHIN PLATTED LAND. DO HEREBY GRANT UNTO OBERLIN MUNICIPAL POWER AND LIGHT, VERIZON AND CABLE CO-OP (HEREINAFTER REFERRED TO AS THE GRANTEES) A PERMANENT RIGHT OF WAY AND EASEMENT TWELVE (12) FEET IN WIDTH UNDER, OVER AND THROUGH ALL SUBLOTS AND ALL LANDS SHOWN HEREON AND PARALLEL WITH AND CONTIGUOUS TO ALL STREET LINES TO CONSTRUCT, PLACE, OPERATE, MAINTAIN, REPAIR, RECONSTRUCT AND RELOCATE SUCH UNDERGROUND ELECTRIC AND COMMUNICATIONS CABLES, DUCTS, CONDUITS, SURFACE OR BELOW GROUND MOUNTED TRANSFORMERS AND PEDESTALS, CONCRETE PADS AND OTHER FACILITIES AS ARE DEEMED NECESSARY OR CONVENIENT BY THE GRANTEES FOR DISTRIBUTING AND TRANSMITTING ELECTRICITY AND COMMUNICATION SIGNALS, FOR PUBLIC AND PRIVATE USE AT SUCH LOCATIONS AS GRANTEES MAY DETERMINE, UPON, WITHIN AND ACROSS THE EASEMENT PREMISES. SAID EASEMENT RIGHTS SHALL INCLUDE THE RIGHT, WITHOUT LIABILITY THEREFORE, TO REMOVE TREES AND LANDSCAPING INCLUDING LAWNS, WITHIN AND WITHOUT SAID EASEMENT PREMISES WHICH MAY INTERFERE WITH THE INSTALLATION, MAINTENANCE, REPAIR OR OPERATION OF SAID ELECTRIC AND COMMUNICATION FACILITIES, THE RIGHT TO INSTALL, REPAIR, AUGMENT AND MAINTAIN SERVICE CABLES OUTSIDE THE ABOVE DESCRIBED EASEMENT PREMISES, AND WITH THE RIGHT OF ACCESS, INGRESS AND EGRESS TO AND FROM ANY OF THE WITHIN DESCRIBED PREMISES FOR EXERCISING ANY OF THE PURPOSES OF THIS RIGHT OF WAY AND EASEMENT GRANT. ALL SUBLOTS AND ALL LANDS SHALL BE RESTRICTED TO UNDERGROUND UTILITY SERVICE.

OBERLIN MUNICIPAL LIGHT & POWER

DEC 1 0 2002

RECEIVED FOR RECORD

VOL. 74 MARY ANN JAMISON

PAGE 40 Lorain County Recorder

LORAIN COUNTY RECORDER 5+

41,42 cme

128 o'clock 4 M. In PlatRECORD

Deboul D. Hargrow-VERIZON

APPROVALS

THIS PLAT APPROVED BY THE PLANNING COMMISSION OF THE CITY OF OBERLIN FOR RECORDING PURPOSES ONLY THIS 26 DAY OF

THIS PLAT APPROVED BY THE DIRECTOR OF ENGINEERING OF THE CITY OF OBERLIN FOR RECORDING PURPOSES ONLY THIS 26 15 DAY OF

THIS PLAT APPROVED BY THE CITY COUNCIL OF THE CITY OF OBERLIN FOR RECORDING PURPOSES ONLY THIS 26TH DAY OF

CITY MANAGER 2002.

CLERK OF COUNCIL

OBERLIN CITY SOLICITOR

UTILITY EASEMENT

DRAINAGE, SEWER AND UTILITY EASEMENTS AS SHOWN HEREON THIS PLAT ARE GRANTED BY THE UNDERSIGNED OWNER OF THE WITHIN PLATTED LAND AND DO HEREBY GRANT UNTO THE CITY OF OBERLIN, AN OHIO MUNICIPAL CORPORATION (HEREINAFTER REFERRED TO AS THE GRANTEE) A PERMANENT RIGHT-OF-WAY AND EASEMENT OF SUCH WIDTH AND LENGTHS AS DEFINED AND SHOWN ON THIS PLAT OVER AND THROUGH SUCH SUBLOTS AS SHOWN HEREON TO CLEAN, DEEPEN, WIDEN, IMPROVE, OPERATE, MAINTAIN, REPAIR, RECONSTRUCT AND RELOCATE SUCH IMPROVEMENTS ABOVE OR BELOW GROUND TO MAINTAIN AND/OR IMPROVE SUCH FACILITIES AS DEEMED NECESSARY OR CONVENIENT BY THE GRANTEE FOR MAINTAINING PUBLIC SERVICES. DRAINAGE AND UTILITIES AS GRANTEE MAY DETERMINE UPON, WITHIN AND ACROSS THE EASEMENT PREMISES. SAID EASEMENT RIGHTS SHALL INCLUDE THE RIGHT, WITHOUT LIABILITY THEREFORE, TO REMOVE TREES AND LANDSCAPING, INCLUDING LAWNS, WITHIN SAID EASEMENT PREMISES WHICH MAY INTERFERE WITH THE INSTALLATION, MAINTENANCE, REPAIR OR OPERATION OF SUCH DRAINAGE, PUBLIC UTILITIES AND FACILITIES THE RIGHT TO CLEAN, DEEPEN, WIDEN, REPAIR. AUGMENT AND MAINTAIN PUBLIC DRAINAGE AND SERVICE WITHIN THE ABOVE DESCRIBED EASEMENT PREMISES AND WITH THE RIGHT OF ACCESS AND EGRESS TO ANY OF THE WITHIN SHOWN EASEMENTS FOR EXERCISING ANY OF THE PURPOSES OF THIS EASEMENT GRANT


Box Elin

200

OBERLIN RESERVE SUBDIVISION No. 3

SITUATED IN THE CITY OF OBERLIN, COUNTY OF LORAIN, AND STATE OF OHIO, AND KNOWN AS BEING PART OF ORIGINAL PITTSFIELD TOWNSHIP LOTS 6 & 7





USED PREVIOUS SURVEY BY: RICHARD ROSEBECK, P.E., P.S. AUGUST 1996

J.A.R. Engineering & Surveying, Inc.

CONSULTING ENGINEERS / SURVEYORS
24629 DETROIT ROAD WESTLAKE, OHIO 44145
Phone:(440)-871-8345

PHASE MAP
OBERLIN RESERVE
SUBDIVISION No. 3
OBERLIN, OHIO

A=0.93C=0.93S 89'52'25" W T=0.47 30' BUILDING LINE __ CB=N86'42'26"W 55.00 2' UTILITY EASEMENT C5_M.B. N 89'40'16" I N 89'40'16" E RESERVE AVE. 60' RESERVE AVENUE 60' 35.66 C24 100.22 12' VILLITY EASEMENT 30' BUILDING LINE ST. JEFFERSON 9 62 64 59 61 35 60 CITY OF OBERLIN 20687.70 sq. ft 19943.97 sq. ft¹ P.P.N. 14-00-007-000-002 D.V. 1093, PG. 888 18000.00 sq. ft 18031.30 sq. ft 18557.65 sq. ft 21856.00 sq. ft 23245.14 sq. ft 23709.10 sq. ft 1 23372.29 sq. ft 18000.00 sq. ft 18632.87 sq. 21105.23 sq. ft 0.4749 Acres 0.4260 Acres 0.4579 Acres 0.5443 Acres 0.5366 Acres 0.4132 Acres 0.4132 Acres 0.4139 Acres 0.5018 Acres 0.4278 Acres 0.5336 Acres 0.4845 Acres 56.01 90.00 90.00 90.00 90.00 90.00 90.00 106.59 90.00 90.00 S89°40′16″W 2952.14 S89'40'16"W 1096.59 20' STORM SEWER EASEMENT-THARON & LYDNA GOTT

CHORD LENGTH

71.92

91.75

7.92

80.46

45.58

90.57

55.43

61.22

90.62

54.37

1.66

CURVE DATA FOR RIGHT-OF-WAY

03'51'17"

06**'**32'49"

03'25'41"

04'42'35"

06'09'35'

03'09'46"

14'16'56"

05'23'53"

C13

CHORD BEARING

N 87'44'37" E

N 82'32'34" E

N 77'33'19" E

S 78"11'47" W

S 83'37'52" W

S 88'17'32" W

N 82*59'07" W

N 73'08'42" W

TANGENT

26.74

45.44

23.78

34.65

45.33

23.26

39.87

15.00

RADIUS ARC LENGTH

794.56 | 53.46

794.56 90.79

794.56 47.54

842.55 69.26

842.55 90.58

842.55 46.51

318.26 79.33

318.26 29.98

CHORD LENGTH

53.45

90.74

47.53

69.24

90.54

46.50

79.13

29.97

NUMBER | DELTA ANGLE

16'11'44"

16*44'02"

01*45'26"

17.55'29"

03'20'17"

06**:**38'07"

04'03'33"

04'06'19"

06'04'42"

03°38'45"

00°18'06"

C15

C16

C17

C18

C19

C20

C21

C22

C23

C24

C25

CHORD BEARING

S 78'30'19" E

S 79'06'55" E

N 71°19'29" W

N 81°09'54" W

S 88'12'17" W

S 83'13'05" W

S 77'52'15" W

N 77'53'39" E

N 82'59'09" E

N 87'50'53" E

N 70°35'49" W

TANGENT

22.80

45.36

27.73

30.63

27.20

0.83

RADIUS

255.27

315.27

258.26

258.26

782.55

782.55

782.55

854.56

854.56

854.56

315.27

ARC LENGTH

72.16

92.08

7.92

80.79

45.59

90.62

55.44

61.23

90.66

54.38

1.66

NUMBER | DELTA ANGLE

12/17/01 1. REMOVE TURNAROUND ESM'T PER CITY
12/2/02 2. CORRECTED CENTERLINE PER COUNTY

P.P.N. 14-00-006-000-002

D.V. 1271, PG. 89

J.A.R. Engineering & Surveying, Inc.

CONSULTING ENGINEERS / SURVEYORS
24629 DETROIT ROAD WESTLAKE, OHIO 44145
Phone: (440)-871-8345

SUBDIVISION SUBDIVISION

RECORD PLAT
OBERLIN RESERVE
SUBDIVISION No. 3
OBERLIN, OHIO

LEGEND

■ - MONUMENT BOX SET

II = MONUMENT BOX FND

• - IRON PIN SET

O - IRON PIN FND

875435

SCALE: 1" = 50'

3 3 01/02

IE

D